

CATEGORY DEFINITION

Our broad Norton wire brush offering includes all the basic shapes and configurations: cups, saucer cups, wheel end brushes and hand brushes. Attractive packaging clearly explains dimensions, structure, safety and machine usage. All brushes are individually clamshell packaged unless otherwise noted. When using wire brushes, be sure to comply with ANSI B165 "Power-Driven Brushing Tools: Safety Requirement for the Design, Care and Use." and safety documents on www.nortonabrasives.com website.

APPLICATIONS: Cleaning rust, scale and dirt; light deburring; edge blending; roughening for adhesion; finishing for appearance; finish preparation prior to plating or painting

SHAPES: Cup, saucer cup, wheel, end brush, hand brush


WIRE DESIGN: Standard and full cable twist knot, crimped, stringer bead

OTHER: Color-coded for easy identification;

STAINLESS

STEEL/METAL

FEATURED PRODUCTS AND AVAILABILITY



BETTER WIRE SAUCER CUP BRUSHES

IDEAL FOR CLEANING CORNERS, RECESSES, AND OTHER HARD-TO-REACH AREAS – FOR STEEL/STAINLESS


FEATURES

- Twist knot style
- Crimped style

BENEFITS

- For heavy-duty cleaning
- For light- to medium-duty cleaning

| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|-----------------------------------|----------|-----------|-------------|-------------|
| Twist Knot Saucer Cup | | | | |
| 4 x .020 x 5/8-11 | 15,000 | 5 | Carbon | 66252833483 |
| 5 x .020 x 5/8-11 | 12,500 | 10 | Carbon | 66252835585 |
| 5 x .020 x 5/8-11 | 12,500 | 10 | Stainless | 66252835586 |



BETTER HIGH PERFORMANCE (HP) CABLE CRIMPED CUP BRUSHES

FOR LIGHT- TO MEDIUM-DUTY BRUSHING APPLICATIONS ON FLAT OR IRREGULAR SURFACES, AND BEVEL BUFFING – FOR STEEL


FEATURES

- 12 wires of .009" brass-coated steel are bundled together into a group, then crimped
- Cable crimped wire breaks down in smaller pieces than standard crimped brushes

BENEFITS

- Creates a 50% longer lasting brush compared to standard crimped brushes; better flexibility on irregular surfaces
- Safer wire to use
- Protective guard

| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|---|----------|-----------|-------------|-------------|
| Crimped Cup with Protective Guard – Single Row | | | | |
| 3 x (12 x .009) x 5/8-11 | 15,000 | 5 | Carbon | 66252833493 |
| 4 x (12 x .009) x 5/8-11 | 9,000 | 5 | Carbon | 66252833494 |



BETTER CRIMPED WIRE CUP BRUSHES

FOR LIGHT- TO MEDIUM-DUTY BRUSHING APPLICATIONS ON FLAT OR IRREGULAR SURFACES, AND BEVEL BUFFING – FOR STEEL


FEATURES

- Highly flexible heavy wire fill


BENEFITS

- Fast cutting

| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|-----------------------------------|----------|-----------|-------------|-------------|
| 3 x .014 x 5/8-11 | 15,000 | 5 | Carbon | 69936653341 |
| 4 x .014 x 5/8-11 | 9,000 | 5 | Carbon | 69936653347 |
| 6 x .014 x 5/8-11 | 6,000 | 5 | Carbon | 69936653348 |
| 6 x .020 x 5/8-11 | 6,000 | 5 | Carbon | 69936653349 |



FEATURED PRODUCTS AND AVAILABILITY



BETTER TWIST KNOT WIRE CUP BRUSHES

HIGH IMPACT CUTTING AND CLEANING ON MORE DEMANDING APPLICATIONS – FOR STEEL/STAINLESS

FEATURES

- Rigid structure
- Available with or without plastic guard
- Protective guard opens up into a shield
- Single row, twist knot construction
- Double row, twist knot construction

BENEFITS

- High impact cutting and cleaning on more demanding applications
- Application-specific
- Prevents wire, dust and/or projection from reaching the end-user
- Provides for a friendly handling of the brush, preventing potential pricking caused by the wire ends
- Limits flaring of the brush on corners and angles
- More aggressive; provides twice the cutting points of a single row cup brush for heavy-duty action in very severe applications

| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|---|----------|-----------|-------------|-------------|
| Knotted Cup With Protective Guard – Single Row | | | | |
| 2-3/4 x .020 x 5/8-11 | 15,000 | 5 | Carbon | 66252833492 |
| 4 x .020 x 5/8-11 | 9,000 | 5 | Carbon | 66252833496 |
| 5 x .020 x 5/8-11 | 6,500 | 5 | Carbon | 66252833497 |
| Knotted Cup – Single Row | | | | |
| 2-3/4 x .020 x 5/8-11 | 15,000 | 5 | Carbon | 69936653336 |
| 2-3/4 x .020 x 5/8-11 | 15,000 | 5 | Stainless | 69936653340 |
| 4 x .020 x 5/8-11 | 9,000 | 5 | Carbon | 69936653345 |
| 4 x .020 x 5/8-11 with bridle | 9,000 | 5 | Stainless | 66252833947 |
| 6 x .020 x 5/8-11 | 6,000 | 5 | Carbon | 69936605965 |
| 6 x .035 x 5/8-11 | 6,000 | 5 | Carbon | 69936602003 |
| Knotted Cup – Double Row | | | | |
| 6 x .020 x 5/8-11 | 6,000 | 5 | Carbon | 69936653346 |

BETTER CRIMPED WIRE WHEEL BRUSHES

EXCELLENT PERFORMANCE FOR DEBURRING, REMOVING RUST, CORROSION AND DIRT – FOR STEEL

FEATURES

- Brushes may be used individually or stacked on a shaft

BENEFITS


- Single-section, narrow-faced brushes are ideal for general-purpose brushing of uneven or difficult-to-reach surfaces
- Single section, medium-faced brushes clean larger surface areas and have longer life

| DIAMETER X WIRE THICKNESS X HOLE SIZE | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|---------------------------------------|----------|-----------|-------------|-------------|
| Crimped Narrow 3/4" Face | | | | |
| 6 x .014 x 1/2-2** | 6,500 | 5 | Carbon | 69936653306 |
| Crimped Medium 1" Face | | | | |
| 6 x .014 x 1/2-2** | 6,500 | 5 | Carbon | 69936653324 |
| 8 x .014 x 1/2-2** | 4,500 | 5 | Carbon | 69936653326 |



** 7 BUSHING SIZES INCLUDED WITH EACH BRUSH (FIT 1/2" - 2")

STAINLESS

STEEL/METAL



FEATURED PRODUCTS AND AVAILABILITY



BETTER STANDARD TWIST KNOT WIRE WHEEL BRUSHES

IDEAL FOR WELDING AND METAL FABRICATION APPLICATIONS (REMOVING WELD SCALE SPATTER, EXTRA-HEAVY RUST AND CORROSION, OR SURFACE ROUGHENING) – FOR STEEL


FEATURES

- Twist knot wire design

BENEFITS

- Provides added rigidity for extra cutting power
- Small diameter wheels are used for small- to medium-duty jobs requiring flexibility and lighter brushing action

| DIAMETER X WIRE THICKNESS X MOUNT/HOLE | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|--|----------|-----------|-------------|-------------|
| 3 x .014 x 5/8-11 | 20,000 | 5 | Stainless | 66252836362 |
| 4-1/2 x .020 x 5/8-11 | 20,000 | 5 | Carbon | 69936606275 |



BETTER FULL CABLE TWIST KNOT WIRE WHEEL BRUSHES

FOR THE TOUGHER APPLICATIONS, ESPECIALLY FOR WELD PASSES – FOR STEEL/STAINLESS

FEATURES

- Full cable twist brushes
- Pipeline: heavy-duty knot construction

BENEFITS

- Provide very low flex and high impact cutting and cleaning
- Stiffer, longer-lasting knots for tougher applications / heavy build-up
- Longest life for brushing/cleaning joints and preparing expansion joints for filling and scaling

| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|-----------------------------------|----------|-----------|-----------------|-------------|
| 4 x .020 x 5/8-11 | 20,000 | 5 | Carbon | 66252838300 |
| 4-1/2 x .020 x 5/8-11 | 20,000 | 6* | Carbon Pipeline | 66252840466 |
| 4-1/2 x .020 x 5/8-11 | 20,000 | 6* | Carbon | 69936653331 |
| 4-1/2 x .020 x 5/8-11 | 20,000 | 5 | Stainless | 69936653333 |
| 5 x .020 x 5/8-11 | 12,500 | 5 | Carbon | 66252833487 |
| 5 x .020 x 5/8-11 | 12,500 | 5 | Stainless | 66252833488 |
| 6 x .020 x 5/8-11 | 12,500 | 5 | Carbon | 69936653352 |
| 6 x .020 x 5/8-1/2 | 12,500 | 5 | Carbon | 69936653327 |

*BULK PACKED ITEMS



BETTER STRINGER BEAD KNOT WIRE WHEEL BRUSHES

DELIVER HIGH-IMPACT CUTTING AND CLEANING FOR TOUGHEST APPLICATIONS – FOR STEEL/STAINLESS

FEATURES

- Stringer bead wire for hard-to-reach areas
- Joint/Crack cleaning wire wheel brushes

BENEFITS

- Specially suited for groove and weld bead, corners, and t-connections
- Used for brushing joints, cleaning cracks in concrete and asphalt, and preparing expansion joints for filling and scaling
- Pipeline: longest life for brushing/cleaning joints and preparing expansion joints for filling and scaling


| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|-----------------------------------|----------|-----------|--------------------|-------------|
| For Right Angle Grinders | | | | |
| 4 x .020 x 5/8-11 | 20,000 | 5 | Carbon | 69936606277 |
| 4 x .020 x 5/8-11 | 20,000 | 6* | Carbon | 66252833489 |
| 4 x .020 x 5/8-11 | 20,000 | 6* | Carbon Pipeline | 66252840467 |
| 4 x .020 x 5/8-11 | 20,000 | 5 | Stainless | 69936606278 |
| 4 x .020 x 5/8-11 | 20,000 | 10* | Stainless Pipeline | 66252842233 |
| 4 x .020 x 5/8-11 & 3/8-24 | 20,000 | 5 | Carbon | 66252840889 |
| 4-1/2 x .020 x 5/8-11 | 20,000 | 10* | Carbon Pipeline | 66252842299 |
| 5 x .020 x 5/8-11 | 12,500 | 6* | Carbon | 66252833490 |
| 5 x .020 x 5/8-11 | 12,500 | 6* | Stainless | 66252833491 |
| 6 x .020 x 5/8-11 | 12,500 | 10* | Carbon | 69936653350 |
| 6 x .020 x 5/8-11 | 12,500 | 10* | Carbon Pipeline | 66252840469 |
| 6 x .020 x 5/8-11 | 12,500 | 5 | Stainless | 69936653351 |
| 6-7/8 x .020 x 5/8-11 | 9,000 | 10* | Carbon | 69936653329 |
| 6-7/8 x .020 x 5/8-11 | 9,000 | 10* | Carbon Pipeline | 66252840468 |
| 9 x .020 x 5/8-11 | 6,000 | 2 | Carbon | 66252837993 |

For Walk-Behind Machines – Joint/Crack Cleaning Brushes

| | | | | |
|--------------------|-------|----|--------|-------------|
| 12 x .035 x 1 - DP | 4,500 | 2* | Carbon | 69936606280 |
|--------------------|-------|----|--------|-------------|

*BULK PACKED ITEMS





FEATURED PRODUCTS AND AVAILABILITY



BETTER END BRUSHES

CLEAN AND DEBURR A RECESSED AREA OR THE INSIDE DIAMETER OF A TUBE OR PIPE – FOR STEEL/STAINLESS

FEATURES

- Twist knot wire end brushes
- Crimped wire end brushes

BENEFITS

- For more aggressive cutting
- For lighter brushing action and contoured surfaces



| DIAMETER X WIRE THICKNESS X MOUNT | MAX. RPM | STD. PKG. | APPLICATION | PART NO. |
|-----------------------------------|----------|-----------|-------------|-------------|
| Stem Mounted Knotted | | | | |
| 3/4 x .020 x 1/4 Shank | 20,000 | 10* | Carbon | 69936653316 |
| 1 x .014 x 1/4 Shank | 20,000 | 10* | Carbon | 69936606279 |
| 1 x .020 x 1/4 Shank | 20,000 | 10* | Carbon | 69936653310 |
| Stem Mounted Crimped | | | | |
| 3/4 x .006 x 1/4 Shank | 20,000 | 10* | Stainless | 69936606145 |
| 3/4 x .014 x 1/4 Shank | 20,000 | 10* | Carbon | 69936653317 |
| 1 x .020 x 1/4 Shank | 20,000 | 10* | Carbon | 69936653309 |
| Copper Center | | | | |
| 2-1/2 x .014 x 1/2-3/8 | 20,000 | 12* | Carbon | 69936653320 |

*BULK PACKED ITEMS



BETTER HAND BRUSHES FOR STEEL/STAINLESS

FEATURES

- Plastic handle scratch brush
- Long handle and shoe handle brushes

BENEFITS

- Ergonomic handle
- Crimped wire for longer life
- Wires are wrapped up and around the metal post so they never come out
- Curved face for hard-to-reach places
- Narrow brush allows access into tight areas and slots
- Steel scratch brushes are made with a high-carbon, brass-coated steel; stainless steel is made with a 304L stainless



| SIZE | STD. PKG. | APPLICATION | PART NO. |
|----------------------------------|-----------|-------------|-------------|
| Scratch Brush 3 x 19 Long Handle | 12 | Carbon | 66252833948 |
| Scratch Brush 3 x 19 Long Handle | 12 | Stainless | 66252833950 |
| Scratch Brush 4 x 16 Shoe Handle | 24 | Carbon | 66252833949 |
| Scratch Brush 4 x 16 Shoe Handle | 24 | Stainless | 66252833951 |
| Scratch Brush Plastic Handle | 24 | Carbon | 66252833954 |
| Scratch Brush Plastic Handle | 24 | Stainless | 66252833953 |
| Inspection Brush 3 x 7 | 36 | Stainless | 66252833952 |

STAINLESS

STEEL/METAL

