

MultiStore™



AUTOMATED COMPARTMENTALIZED CONTROL

This versatile storage solution delivers both automation and control in effectively managing the internal distribution of any type of high-use consumable and durable inventory. With the MultiStore, you can create an easily accessible storage cabinet stocked with all the mission-critical inventory required to operate at peak efficiency. The MultiStore includes 24 roomy individual lockers with configurable shelves for easy on-site expansion to store larger items.


- Control consumption of high-use items
- Enhanced visibility with see-through doors and white shelves
- Comprehensive tracking and usage data for effective inventory management
- House multiple SKUs within each locker



MultiStore Configurations

The MultiStore locker solution is available in a 24-door model. The MultiStore is field-configurable by simply linking the doors of each of locker together and removing shelves. This allows the capability to lock multiple doors at once. The MultiStore can function as a main or auxiliary unit.

Linked Locker Dimensions			
Locker	1	2	3
Height (in)	5.375	11.5625	17.75
Each locker width is 25.84 in and depth is 28.25 in Optional locker combinations are available Maximum shelf capacity 90 lbs			



Locker doors are linked by overlapping brackets

Accessories

- Accessible power strip with 24 outlets allowing for a charging station within a MultiStore

MultiStore Issue Process

As in all CribMaster storage devices, the issuing and returning process of the MultiStore is simple.

1. **Authenticate:** The user self-authenticates with an employee badge or other optional login methods and enters user-defined cost centers if required.
2. **Select:** Through the touchscreen interface, the user selects the item from the item image screen or item description displayed.
3. **Issue:** After selecting the issue function, the locker door opens, the user removes the item, and the database is automatically adjusted.
4. **Record:** The software records the transaction and the database is updated.

Software Functions

CribMaster Software

- Item/group level access
- ERP integration
- User-defined cost centers
- Track real-time data
- Manage calibrated items

Point-of-Use Interface (ATR)

- User specific multi-language support
- Favorite items list by employees
- Vend by item images

Suggested Product Types

The MultiStore is tailored to dispense MRO, PPE, and durables such as:

- Power tools
- Hand tools
- Gauges
- Batteries
- Safety glasses
- Filters
- Tape



MultiStore Specs

Main Exterior Dimensions		
Height	83 in	210.82 cm
Width	65.5 in	166.37 cm
Depth	36.625 in	93.027 cm
Auxiliary Exterior Dimensions		
Height	83 in	210.82 cm
Width	59.5 in	151.13 cm
Depth	32 in	81.280 cm
Weight		
Main	805 lbs	365 kg
Auxiliary	755 lbs	342 kg
Shipping	815 lbs	369 kg
Power Requirements		
Amps	3	3 (EU)
Voltage	120	220 (EU)
Operating Environment		
Temperature	-4°F to 140°F (-20°C to 60°C)	
Humidity	20% to 85% (no condensation)	
Technical Info		
CE compliant	Windows OS	



1955 West Oak Circle
Marietta, GA 30062
www.cribmaster.com
phone: 888.419.1399
fax: 770.419.1968
sales@cribmaster.com